

# Sauleda

## Screen 60



**Sauleda**  
OFFICE

# Sauleda Screen 60

## 3%

COEFICIENTE  
DE APERTURA

OPENNESS  
FACTOR

### ▪ Puedes ver más allá

Consigue máximo confort visual en la oficina o en casa. Puedes ver el exterior, preservando la intimidad del interior, y entra la luz natural. Además, evita el deslumbramiento en pantallas y la reverberación (eco).

### ▪ Siente la temperatura perfecta

Disfruta una magnífica protección térmica, pues la radiación solar se rechaza hacia el exterior. ¡Elige bien! En exterior, los colores oscuros protegen mejor que los claros. En interior, los colores claros protegen mejor.

### ▪ Disfruta un diseño y colores elegantes

Una trama regular, una textura agradable y una gama de 10 colores neutros cuidadosamente seleccionados.

### ▪ Te damos hasta 5 años de garantía

Una longevidad excepcional y una solidez mecánica óptima. Hilos de poliéster, recubiertos por PVC, con un margen de movimiento que previene la posibilidad de roturas y desgarros.

### ▪ Ahorra energía y en la instalación

Ahorra energía desde el primer día: iluminación, calefacción y aire acondicionado.

## + 600 gr

PESO  
WEIGHT

### ▪ See beyond

Get maximum visual comfort at home or in the office. You can see the outside while preserving your intimacy letting natural light in. In addition, glare on screens and reverberation (echo) is avoided.

### ▪ Feel the perfect temperature

Enjoy great thermal protection, because solar radiation is absorbed by the fabric and bounced back to the outside. Make the right choice! In the outdoors, dark colors protect while indoors, light colors protect better.

### ▪ Enjoy elegant design and colours

A regular pattern, a pleasant texture and a range of 10 neutral colours carefully selected to satisfy the most demanding user.

### ▪ Up to 5 years warranty

Exceptional longevity and optimum mechanical strength. The base is made of polyester threads, covered by PVC, with a margin of movement that prevents the possibility of breaks and tears.

### ▪ Save energy and installation costs

Save energy from day one in lighting, heating and air conditioning.



## 10

COLORES  
NEUTROS

NEUTRAL  
COLOURS

# La radiación solar a través del screen

## Solar radiation through the screen



**SCREEN 60**  
es una solución térmica  
para interior y exterior para  
una buena gestión de la luz.

SCREEN 60  
is a thermal solution for interiors  
and exterior for the best light  
management.

# Sauleda Screen 60



SAULEDA SCREEN 60 OPTIK	7981
SAULEDA SCREEN 60 WHITE	7982
SAULEDA SCREEN 60 MARFIL	7983
SAULEDA SCREEN 60 STONE	7985
SAULEDA SCREEN 60 GREY	7986
SAULEDA SCREEN 60 SAND	7984
SAULEDA SCREEN 60 MINERAL	7987
SAULEDA SCREEN 60 IRON	7988
SAULEDA SCREEN 60 GRAFITO	7989
SAULEDA SCREEN 60 BLACK	7990

# Sauleda Screen 60


Características técnicas  
Technical specifications

Coeficiente de apertura Openness Factor	3%
Composición Composition	83% PVC 17% PES
Ancho Width	250 cm
Longitud de las piezas Roll length	25 ml
Peso Weight	± 600 gr / m <sup>2</sup>
Espesor Thickness	0.80 mm
Reacción al fuego Fire rating	NF P 92 503-507, Class M1 NFPA 701
Solidez al color Colour fastness	5 / 5
Garantía Warranty	5 años 5 years
Greenguard UL 2818	Sí Yes


SAULEDA SCREEN 60  Artículo /Article	Color Colour	Propiedades ópticas Optical Properties		Propiedades térmicas Thermal Properties			Cálculos basados en referencias de acristalamiento D / Calculations based on reference glazing D		
		Factor abertura Openness factor	Tv	Rs	Ts	As	Gtot/ SHGC	Bloqueo UV UV Blockage	Glare Control Class
SAULEDA SCREEN 60 OPTIK		3%	12%	72%	15%	13%	0,23	97%	1
SAULEDA SCREEN 60 WHITE		3%	11%	66%	15%	19%	0,23	97%	1
SAULEDA SCREEN 60 MARFIL		3%	11%	56%	16%	28%	0,24	97%	1
SAULEDA SCREEN 60 STONE		3%	9%	59%	12%	29%	0,24	96%	1
SAULEDA SCREEN 60 GREY		3%	6%	46%	7%	47%	0,25	97%	2
SAULEDA SCREEN 60 SAND		3%	6%	39%	10%	51%	0,25	96%	2
SAULEDA SCREEN 60 MINERAL		3%	4%	11%	4%	85%	0,27	96%	3
SAULEDA SCREEN 60 IRON		3%	4%	13%	4%	83%	0,27	96%	3
SAULEDA SCREEN 60 GRAFITO		3%	3%	9%	3%	88%	0,27	97%	3
SAULEDA SCREEN 60 BLACK		3%	3,5%	3%	4%	93%	0,28	96%	3



PANEL BLIND



ROLLER BLIND




VERTICAL BLIND



VERTICAL EXTERIORS



LATERAL SCREEN



AWNING

Sujeto a cambios en relación con las mejoras técnicas. Los valores indicados sin niveles de tolerancia son valores nominales con un rango de tolerancia de ± 5 %. Todos los datos presentados aquí se ofrecen, según nuestro leal saber y entender, con fines orientativos y no son legalmente vinculantes. V0123

Subject to change with respect to technical improvements. The values stated without tolerance levels are nominal values with a tolerance range of ± 5 %. All data presented here are to the best of our knowledge and belief for guidance purposes and are not legally binding. V0123

**Choose your  
lighting.  
Choose your  
mood.**